

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side		State of Texas WELL REPORT		Texas Water Well Drillers Advisory Council P.O. Box 13087 Austin, TX 78711-3087 512-239-0530																																											
1) OWNER <u>Chris Delussey</u> (Name) ADDRESS <u>P.O. Box 5043 Huntsville Tx 77342</u> (Street or RFD) (City) (State) (Zip)																																															
2) ADDRESS OF WELL: County <u>Walker</u> (Street or RFD) <u>Huntsville Tx 77340</u> (City) (State) (Zip) GRID # <u>60-10-6</u>																																															
3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging		4) PROPOSED USE (Check): <input type="checkbox"/> Monitor <input type="checkbox"/> Environmental Soil Boring <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Injection <input type="checkbox"/> Public Supply <input type="checkbox"/> De-watering <input type="checkbox"/> Testwell If Public Supply well, were plans submitted to the TNRCC? <input type="checkbox"/> Yes <input type="checkbox"/> No		5)																																											
6) WELL LOG: Date Drilling: Started <u>5-20</u> 19 <u>96</u> Completed <u>5-23</u> 19 <u>96</u>		7) DRILLING METHOD (Check): <input type="checkbox"/> Driven <input type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Mud Rotary <input type="checkbox"/> Bored <input type="checkbox"/> Air Hammer <input type="checkbox"/> Cable Tool <input type="checkbox"/> Jetted <input type="checkbox"/> Other _____																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">DIAMETER OF HOLE</th> </tr> <tr> <th>Dia. (in.)</th> <th>From (ft.)</th> <th>To (ft.)</th> </tr> </thead> <tbody> <tr> <td><u>6 3/4</u></td> <td>Surface</td> <td><u>133</u></td> </tr> <tr> <td><u>3 3/8</u></td> <td><u>133</u></td> <td><u>147</u></td> </tr> </tbody> </table>		DIAMETER OF HOLE			Dia. (in.)	From (ft.)	To (ft.)	<u>6 3/4</u>	Surface	<u>133</u>	<u>3 3/8</u>	<u>133</u>	<u>147</u>																																		
DIAMETER OF HOLE																																															
Dia. (in.)	From (ft.)	To (ft.)																																													
<u>6 3/4</u>	Surface	<u>133</u>																																													
<u>3 3/8</u>	<u>133</u>	<u>147</u>																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From (ft.)</th> <th>To (ft.)</th> <th>Description and color of formation material</th> </tr> </thead> <tbody> <tr><td><u>0-47</u></td><td><u>clay</u></td><td><u>145-147 Sand</u></td></tr> <tr><td><u>47-61</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>61-70</u></td><td><u>clay</u></td><td></td></tr> <tr><td><u>70-78</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>78-82</u></td><td><u>Clay</u></td><td></td></tr> <tr><td><u>82-90</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>90-103</u></td><td><u>clay/Lign</u></td><td></td></tr> <tr><td><u>103-118</u></td><td><u>Soft Lign</u></td><td></td></tr> <tr><td><u>118-122</u></td><td><u>Hard Lign</u></td><td></td></tr> <tr><td><u>122-133</u></td><td><u>Lign</u></td><td></td></tr> <tr><td><u>133-142</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>142-143</u></td><td><u>Sand</u></td><td></td></tr> <tr><td><u>143-144</u></td><td><u>Lign</u></td><td></td></tr> </tbody> </table>		From (ft.)	To (ft.)	Description and color of formation material	<u>0-47</u>	<u>clay</u>	<u>145-147 Sand</u>	<u>47-61</u>	<u>Sand</u>		<u>61-70</u>	<u>clay</u>		<u>70-78</u>	<u>Sand</u>		<u>78-82</u>	<u>Clay</u>		<u>82-90</u>	<u>Sand</u>		<u>90-103</u>	<u>clay/Lign</u>		<u>103-118</u>	<u>Soft Lign</u>		<u>118-122</u>	<u>Hard Lign</u>		<u>122-133</u>	<u>Lign</u>		<u>133-142</u>	<u>Sand</u>		<u>142-143</u>	<u>Sand</u>		<u>143-144</u>	<u>Lign</u>		8) Borehole Completion (Check): <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Straight Wall <input type="checkbox"/> Underreamed <input type="checkbox"/> Gravel Packed <input type="checkbox"/> Other _____ If Gravel Packed give interval ... from _____ ft. to _____ ft.			
From (ft.)	To (ft.)	Description and color of formation material																																													
<u>0-47</u>	<u>clay</u>	<u>145-147 Sand</u>																																													
<u>47-61</u>	<u>Sand</u>																																														
<u>61-70</u>	<u>clay</u>																																														
<u>70-78</u>	<u>Sand</u>																																														
<u>78-82</u>	<u>Clay</u>																																														
<u>82-90</u>	<u>Sand</u>																																														
<u>90-103</u>	<u>clay/Lign</u>																																														
<u>103-118</u>	<u>Soft Lign</u>																																														
<u>118-122</u>	<u>Hard Lign</u>																																														
<u>122-133</u>	<u>Lign</u>																																														
<u>133-142</u>	<u>Sand</u>																																														
<u>142-143</u>	<u>Sand</u>																																														
<u>143-144</u>	<u>Lign</u>																																														
		CASING, BLANK PIPE, AND WELL SCREEN DATA:																																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Dia. (in.)</th> <th rowspan="2">New or Used</th> <th rowspan="2">Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial</th> <th colspan="2">Setting (ft.)</th> <th rowspan="2">Gage Casting Screen</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>4</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>0</u></td> <td><u>133</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC</u></td> <td><u>124</u></td> <td><u>137</u></td> <td><u>#40</u></td> </tr> <tr> <td><u>2</u></td> <td><u>N</u></td> <td><u>PVC Screen</u></td> <td><u>137</u></td> <td><u>147</u></td> <td><u>#8</u></td> </tr> </tbody> </table>				Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen	From	To	<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>133</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC</u>	<u>124</u>	<u>137</u>	<u>#40</u>	<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>137</u>	<u>147</u>	<u>#8</u>																
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen																																										
			From	To																																											
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>133</u>	<u>#40</u>																																										
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>124</u>	<u>137</u>	<u>#40</u>																																										
<u>2</u>	<u>N</u>	<u>PVC Screen</u>	<u>137</u>	<u>147</u>	<u>#8</u>																																										
		9) CEMENTING DATA [Rule 338.44(1)] Cemented from <u>133</u> ft. to <u>33</u> ft. No. of sacks used <u>5</u> <u>0</u> ft. to <u>10</u> ft. No. of sacks used <u>6</u> Method used <u>pressure</u> Cemented by <u>Richard Mike</u> Distance to septic system field lines <u>150</u> ft. Method of verification of above distance <u>Tape Measure</u>																																													
13) TYPE PUMP: <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Cylinder <input type="checkbox"/> Other _____ Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft.		10) SURFACE COMPLETION <input type="checkbox"/> Specified Surface Slab Installed [Rule 338.44(2)(A)] <input checked="" type="checkbox"/> Specified Steel Sleeve Installed [Rule 338.44(3)(A)] <input type="checkbox"/> Pitless Adapter Used [Rule 338.44(3)(b)] <input type="checkbox"/> Approved Alternative Procedure Used [Rule 338.71]																																													
14) WELL TESTS: Type test: <input type="checkbox"/> Pump <input type="checkbox"/> Bailor <input checked="" type="checkbox"/> Jetted <input type="checkbox"/> Estimated Yield: <u>20</u> gpm with _____ ft. drawdown after _____ hrs.		11) WATER LEVEL: Static level <u>63</u> ft. below land surface Date <u>5-21-96</u> Artesian flow _____ gpm. Date <u>1997</u>																																													
15) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, submit "REPORT OF UNDESIRABLE WATER" Type of water? <u>good</u> Depth of strata <u>14'</u> Was a chemical analysis made? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		12) PACKERS: <u>Rubber</u> TEXAS NATURAL RESOURCE CONSERVATION COMMISSION <u>127'</u>																																													
I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.																																															
COMPANY NAME <u>Grays Water Well</u> (Type or print)		WELL DRILLER'S LICENSE NO. <u>2011WPK</u>																																													
ADDRESS <u>P.O. Box 1788</u> (Street or RFD)		<u>Trinity</u> <u>Tx</u> <u>75862</u> (City) (State) (Zip)																																													
(Signed) <u>Vernon Gray</u> (Licensed Well Driller)		(Signed) <u>Richard Mike</u> (Registered Driller Trainee)																																													
Please attach electric log, chemical analysis, and other pertinent information, if available.																																															

Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Howard Taylor Address Huntsville, TX 77340
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: Walker 17 miles in N direction from Huntsville
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ See attached map. ON BACK

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

Date drilled 9-8-87

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

6 1/8 Surface 481

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____

If Gravel Packed give interval ... from 460 ft. to 481 ft.

From (ft.) To (ft.)

Description and color of formation
material

0-45 SHALE
45-150 SANDY SHALE
150-220 SAND
220-460 SHALE
460-481 SAND

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>P.V.C.</u>	<u>0-460</u>	<u>40</u>	
<u>2 1/2</u>	<u>N</u>	<u>BLANK LINER</u>	<u>445-466</u>		
<u>2 1/2</u>	<u>N</u>	<u>S.S. ROD-BASE</u>	<u>466-481</u>	<u>.08</u>	

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 360 ft. to 460 ft.
_____ ft. to _____ ft.

Method used Pneum

Cemented by J.B. Bradford & Son

10) SURFACE COMPLETION

☒ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 60 ft. below land surface Date 9-8-87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 189 ft.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: 35 gpm with 45 ft. drawdown after 2 hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME J.B. Bradford & Sons
(Type or Print)

Water Well Driller's License No. 1881

ADDRESS 616 N. McIVER
(Street or RFD)

MADISONVILLE, TEXAS 77864
(City) (State) (Zip)

(Signed) James B. Bradford
(Licensed Water Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.


For TDWR use only
Well No. 60-10-6
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711		State of Texas WATER WELL REPORT		For TWDB use only Well No. <u>60-10-6E</u> Located on map <u>78125</u> Received: <u>dlf</u>																																			
<div>1) OWNER:<div>Person having well drilled <u>Jack Fisher</u> Address <u>Rt 6 Box 64 Huntsville Tex</u><div>(Name) (Street or RFD) (City) (State)</div></div><div>Landowner <u>Same</u> Address <u>Same</u><div>(Name) (Street or RFD) (City) (State)</div></div></div>																																							
<div>2) LOCATION OF WELL:<div>County <u>Walker</u>, <u>15</u> miles in <u>W</u> direction from <u>Huntsville</u><div>(N.E., S.W., etc.) (Town)</div></div><div><div>Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*<div style="text-align: center;">North ↑ (Use reverse side if necessary)</div></div><div>or Give legal location with distances and directions from adjacent sections or survey lines.<div>Labor _____ League _____ Block _____ Survey _____ Abstract No. _____ (NW¼ NE¼ SW¼ SE¼) of Section _____</div></div></div></div>																																							
3) TYPE OF WORK (Check): <div>New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging <input type="checkbox"/></div>		4) PROPOSED USE (Check): <div>Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other <input type="checkbox"/></div>		5) TYPE OF WELL (Check): <div>Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/></div>																																			
6) WELL LOG: <div>Diameter of hole <u>6 3/4</u> in. Depth drilled <u>154</u> ft. Depth of completed well <u>154</u> ft. Date drilled <u>July 9, 1974</u> All measurements made from <u>0</u> ft. above ground level.</div>																																							
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>From (ft.)</th><th>To (ft.)</th><th>Description and color of formation material</th></tr></thead><tbody><tr><td>0-44</td><td></td><td>shale</td></tr><tr><td>44-64</td><td></td><td>sandy shale</td></tr><tr><td>64-100</td><td></td><td>shale</td></tr><tr><td>100-112</td><td></td><td>sand</td></tr><tr><td>112-126</td><td></td><td>shale</td></tr><tr><td>126-147</td><td></td><td>sand</td></tr><tr><td>147-170</td><td></td><td>shale</td></tr></tbody></table>			From (ft.)	To (ft.)	Description and color of formation material	0-44		shale	44-64		sandy shale	64-100		shale	100-112		sand	112-126		shale	126-147		sand	147-170		shale	<div>9) CASING:<div>Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Other <input type="checkbox"/> Cemented from <u>0</u> ft. to <u>0</u> ft.</div><div><table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Diameter (inches)</th><th colspan="2">Setting</th><th rowspan="2">Gage</th></tr><tr><th>From (ft.)</th><th>To (ft.)</th></tr></thead><tbody><tr><td>4"</td><td>0</td><td>154</td><td></td></tr></tbody></table></div></div>			Diameter (inches)	Setting		Gage	From (ft.)	To (ft.)	4"	0	154	
From (ft.)	To (ft.)	Description and color of formation material																																					
0-44		shale																																					
44-64		sandy shale																																					
64-100		shale																																					
100-112		sand																																					
112-126		shale																																					
126-147		sand																																					
147-170		shale																																					
Diameter (inches)	Setting		Gage																																				
	From (ft.)	To (ft.)																																					
4"	0	154																																					
<div>(Use reverse side if necessary)</div>			<div>10) SCREEN:<div>Type <u>Plastic</u> Perforated <input type="checkbox"/> Slotted <input type="checkbox"/> <div><table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Diameter (inches)</th><th colspan="2">Setting</th><th rowspan="2">Slot Size</th></tr><tr><th>From (ft.)</th><th>To (ft.)</th></tr></thead><tbody><tr><td>4"</td><td>126</td><td>134</td><td>.012</td></tr></tbody></table></div></div></div>			Diameter (inches)	Setting		Slot Size	From (ft.)	To (ft.)	4"	126	134	.012																								
Diameter (inches)	Setting		Slot Size																																				
	From (ft.)	To (ft.)																																					
4"	126	134	.012																																				
<div>7) COMPLETION (Check):<div>Straight wall <input checked="" type="checkbox"/> Gravel packed <input type="checkbox"/> Other <input type="checkbox"/> Under reamed <input type="checkbox"/> Open Hole <input type="checkbox"/></div></div>			<div>11) WELL TESTS:<div>Was a pump test made? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, by whom? Yield: <u>15</u> gpm with <u>100</u> ft. drawdown after <u>2</u> hrs. Bailer test _____ gpm with _____ ft. drawdown after _____ hrs. Artesian flow _____ gpm Temperature of water _____</div></div>																																				
<div>8) WATER LEVEL:<div>Static level <u>50</u> ft. below land surface Date <u>July 9</u> Artesian pressure _____ lbs. per square inch Date _____ Depth to pump bowls, cylinder, jet, etc., <u>100</u> ft. below land surface.</div></div>			<div>12) WATER QUALITY:<div>Was a chemical analysis made? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Did any strata contain undesirable water? Yes <input type="checkbox"/> No <input type="checkbox"/> Type of water? _____ depth of strata _____</div></div>																																				
<div>I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.</div> <div><div>NAME <u>George Batten</u> Water Well Drillers Registration No. <u>1348</u><div>(Type or Print)</div></div><div>ADDRESS <u>Rt 2 Box 158 C</u> <u>Bryan Texas</u> <u>77801</u><div>(Street or RFD) (City) (State)</div></div><div>(Signed) <u>George Batten</u> <u>Batten Well Service</u><div>(Water Well Driller) (Company Name)</div></div></div>																																							
Please attach electric log, chemical analysis, and other pertinent information, if available.																																							

*Additional instructions on reverse side.


2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.



RECEIVED
MAR 11 1978

Central Records
Texas Dept. of Water Resources

RECEIVED
DEC 19 1977
DEPT. OF
WATER RESOURCES

Duplicate

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-10-60
Located on map yes
Received: 75-485
dlr

1) OWNER:
Person having well drilled Dick Miles Address 5622 Peltier Lane Houston
(Name) (Street or RFD) (City) (State)
Landowner Dick Miles Address 5622 Peltier Lane Houston
(Name) (Street or RFD) (City) (State)
Seale Ranch

2) LOCATION OF WELL:
County Walker, 21 miles in NW direction from Houstonville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from
adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
☒ Domestic _____ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
☒ Rotary _____ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 6 3/4 in. Depth drilled 315 ft. Depth of completed well 315 ft. Date drilled 7-24-81
All measurements made from 0 ft. above ground level.

From To Description and color of
(ft.) (ft.) formation material

0-2 Top Soil
2-15 Clay
15-37 lignite coal
37-187 Shale
187-188 Rock
188-296 Shale
296-297 Rock
297-301 Brown Sand hard
301-315 Blue Sand.

(Use reverse side if necessary)

7) COMPLETION (Check):
☒ Straight wall _____ Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 39 ft. below land surface Date 7-24-81
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 140 ft.
below land surface.

9) Casing:
Type: Old _____ New _____ Steel _____ Plastic _____ Other _____
Cemented from 0-297 ft. to _____ ft.

Diameter Setting
(inches) 4 From (ft.) 0 To (ft.) 297 Gage Sch
4 - 297
2" - Set 255 - 315

10) SCREEN:
Type Plastic
Perforated _____ Slotted _____
Diameter Setting Slot
(inches) 2" From (ft.) 305 To (ft.) 315 Size 12

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? D. Rhodes
Yield: 7 gpm with 23 ft. drawdown after 5 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No.
Type of water? Sulfate depth of strata 37

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME Dusty Rhodes Water Wells Inc Water Well Drillers Registration No. 1463
(Type or Print)

ADDRESS Box 41 New WA. Leidy TEXAS
(Street or RFD) (City) (State)

(Signed) W.C. Rhodes Dusty Rhodes Water Wells Inc
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:


The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
AUG 26 1975
TEXAS WATER
DEVELOPMENT BOARD



For TWDB use only
Well No. 60-1060
Located on map yes
Received: 7/1/98
Form GW 8
Form GW 9

1) OWNER: Mr J.C. Walker Address Box 88 Huntsville, Texas
 Person having well drilled _____ (Name) (Street or RFD) (City)
 Landowner Same Address _____
 (Name) (Street or RFD) (City)

2) LOCATION OF WELL: County Walker Labor _____ League _____ Abstract No. _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section _____ Block No. _____ Survey _____
(Circle as many as are known)
miles in 16 NW direction from NW Huntsville, Texas
(NE, SW, etc.) (Town)

DIRT ROAD HY 75 INT ST. 45 NORTH

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging <input type="checkbox"/>	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Other <input type="checkbox"/>	5) TYPE OF WELL (Check): Rotary <input checked="" type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/>
--	--	--

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 342 ft. Depth of completed well 342 ft. Date drilled 11-3-70
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	41	Surface soil with iron ore
41	54	blue clay
54	57	sand
57	90	gray clay
90	183	blue clay
183	271	Blue sticky clay
271	295	sand y strks with rock
295	342	sand

From (ft.)	To (ft.)	Description and color of formation material
		(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall ☒ Gravel packed ☐ Other ☐
Under reamed ☐ Open hole ☐

8) WATER LEVEL:
Static level 60 ft. below land surface Date 11-3-70
Artesian pressure _____ lbs. per square inch Date _____

9) CASING:
Type: old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐
Cemented from 322 ft. to 250 ft.

10) SCREEN: Stainless Steel Bar-Weld
Type _____
Perforated ☐ Slotted ☐

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
4	322	x-1	

Diameter (inches)	Setting		Slot size
	From (ft.)	To (ft.)	
2	322	342	8

11) WELL TESTS:

Was a pump test made? ☐ Yes ☒ No If yes by whom?

Yield: _____ gpm with _____ ft. drawdown after _____ hrs

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs

Artesian flow _____ gpm Date _____

Temperature of water _____

Was a chemical analysis made? ☐ Yes ☒ No

Did any strata contain undesirable water? ☐ Yes ☒ No

Type of water? good depth of strata _____

12) PUMP DATA:

Manufacturer's Name Ruth-Berry

Type Jet H.P. 1

Designed pumping rate 400 gpm ☐ gph ☒

Type power unit Electric

Depth to bowls, cylinder, jet, etc., 100 ft.
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly (Type or Print) Water Well Drillers Registration No. 801

Address Box 37 (Street or RFD) Riverside (City) Texas (State) 77367

(Signed) E. Holly (Water Well Driller) E.A. Holly Company (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED
APR 7 1971

Central Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

MAR 3 1971

RECEIVED

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 60-10-6A
Located on map 4E 5
Received: 6-9-68
dlr

1) OWNER:
Person having well drilled Mr Byers Address Walker Huntville Texas
(Name) (Street or RFD) (City) (State)
Landowner _____ Address _____
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Walker, 20 miles in SW. direction from Madisonville
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.*
Location 0
4 miles
County Road
15 miles
Highway 75
Madisonville
North
↑
(Use reverse side if necessary)
or
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check):
New Well ☒ Deepening _____
Reconditioning _____ Plugging _____
4) PROPOSED USE (Check):
Domestic ☒ Industrial _____ Municipal _____
Irrigation _____ Test Well _____ Other _____
5) TYPE OF WELL (Check):
Rotary ☒ Driven _____ Dug _____
Cable _____ Jetted _____ Bored _____

6) WELL LOG:
Diameter of hole 4 in. Depth drilled 112 ft. Depth of completed well 112 ft. Date drilled 8-10-68
All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-95		Brown Shale
95-112		SAND T.P.

9) Casing:
Type: Old _____ New ☒ Steel ☒ Plastic _____ Other _____
Cemented from Drove on shoulder ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 0 100 10-79
10) SCREEN:
Type Plastic wrapped
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
2 1/2 100 112 0-10

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

8) WATER LEVEL:
Static level 50 ft. below land surface Date 8-10-68
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 85 ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No _____ If yes, by whom? J.B. Bradford
Yield: 10 gpm with 20 ft. drawdown after 24 hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No ☒
Did any strata contain undesirable water? Yes _____ No ☒
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME J.B. Bradford Water Well Drillers Registration No. 765
(Type & Print)
ADDRESS 303 N McIVER MADISONVILLE TEXAS
(Street or RFD) (City) (State)
(Signed) J.B. Bradford J.B. Bradford & Son
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 5 1970
Central Records
Texas Water Board

RECEIVED
NOV 10 1969
Texas Water Board